(ode, 6)

SPRING 1954

Curtis Nurseries, Inc.

Callicoon, N. Y.

LIBRAR

REC

\* JAN 27 1954

U.S. Department of

Wholesale Wholesale

PRICE LIST

SPECIALISTS IN

CANADA HEMLOCK

### **HEMLOCK**

#### NURSERY GROWN

					Each in 10 lots	Each in 50 lots	Each in 100 lots
TSU	JGA	ca	nadens	is			
*10	0-12	in.	В&В		\$ .75	\$ .65	\$ .50
12	2-18	in.	В&В		2.25	2.00	1.75
18	8-24	in	В&В		2.75	2.50	2.25
2-	21/2	ft.	B&B		3.25	3.00	2.75
2	$\frac{1}{2} - 3$	ft.	В&В		4.25	4.00	3.75
3-	31/2	ft.	В&В		5.50	5.25	5.00
3	1/2-4	ft.	В&В		6.50	6.25	6.00
4-	41/2	ft.	В&В		7.75	7.50	7.00
4	1/2-5	ft.	В&В		8.50	8.25	8.00
5-	51/2	ft.	В&В		10.50	10.00	9.50
5	1/2-6	ft.	B&B		13.00	12.00	
6-	7	ft.	В&В		15.00		
7-	-8	ft.	В&В		18.00		
* F	rom	tra	nenlan	t hede			

Larger sizes quoted on request.

### TSUGA carolinianum

(Caro	lina	Hem	lock)	
18-24	in.	В&В		2.7
				3.5

#### TSUGA canadensis compacta

LEUCOTHOE catesbaei

A slow, dense growing evergreen similar in character to Taxus capitata.

3 to 10 ft.—Quoted individually on inspection.

### **BROADLEAF EVERGREENS** NURSERY GROWN

12-15 in. B&B \$	2.00	
PIERIS floribunda (Mountain Andromeda)		
12-18 in. B&B	2.75	\$ 2.50
18-24 in. B&B	3.50	3.00
RHODODENDRON carolinia (Carolina Rhododendron)	num	
18-24 in. B&B	3.50	3.25
RHODODENDRON catawbie (Catawba Rhododendron)	nse	
12-18 in. B&B	2.75	2.50
18-24 in. B&B	3.25	3.00
2-2½ ft. B&B	4.50	
2½-3 ft. B&B	6.00	
$2\frac{1}{2}$ -3 ft. B&B specimens	8.00	

RHODODE	NDRON	maximum
(Rosebay	Rhodode	endron)
	-	

2-2-/2	It.	Bar	 4.00
21/2-3	ft.	В&В	 5.00
3-31/2	ft.	В&В	 6.00
21/ 4	f+	R&R	10.00

Larger sizes quoted on request.

### CONIFERS

#### **NURSERY GROWN**

	Each in 10 lots		Each in 100 lots				
JUNIPERUS chin. glauca l	hetzi						
$18-24$ in. B&B $2-2\frac{1}{2}$ ft. B&B		\$ 3.00 3.50					
JUNIPERUS chin. phitzer							
18-24 in. B&B	4.00 6.00	3.00 3.50					
PINUS sylvestris (Scotch Pine)							
18-24 in. B&B							
PINUS resinosa (Red Pine)							
18-24 in. B&B 2-2½ ft. B&B		$\frac{1.75}{2.25}$	$\begin{array}{c} \$ \ 1.50 \\ 2.00 \end{array}$				
2½-3 ft. B&B		3.00	2.75				
3-3½ ft. B&B		3.75	3.50				
3½-4 ft. B&B 4-4½ ft. B&B		4.50	4.25				
TAXUS cuspidata — upright and spreading forms — Specimens quoted on request.							

THUJA occid. pyrimidalis (Pyramid Arborvitae) 3-4 ft. B&B . . . . . 5.00

i. D&D ..... 9.00

# AZALEAS

### **NURSERY GROWN**

AZALE	Ас	alendı	ılacea			
(Flam	ing	Azale	ea)			
12-18	in.	В&В		\$ 2.50	\$ 2.25	
2-3	ft.	В&В		3.50	3.00	
3-4	ft.	В&В		5.00	4.50	
AZALE (Pink			ra			
12-18	in.	В&В		2.50	2.25	
18-24	in.	B&B		3.25	3.00	
4-5	ft.	В&В		6.50		
5-6	ft.	B&B		8.00		

### **DECIDUOUS TREES**

#### **NURSERY GROWN**

# GLEDITSIA triacanthos (Honey Locust)

1-11/2	in.	cal.	BR	 \$ 6.00	\$ 5.00
$1\frac{1}{2}-2$	in.	cal.	BR	 7.00	6.00
$2-2\frac{1}{2}$	in.	cal.	BR	 12.00	10.00

(See balling schedule on page 6)

# LINING OUT STOCK

### NURSERY GROWN

NURSERY GR	OVVIN	
PICEA glauca	Per 100	Per 1000
(White Spruce)		
8-10 in. XXX	\$ 15.00	
PICEA pungens (Colorado Spruce)		
8-10 in. XXX	25.00	
TAXUS cuspidata (Spreading and Upright)		
6-10 in, XXX	30.00	\$250.00
TSUGA canadensis (Canada Hemlock)		
6-8 in. XX	30,00	250.00
TSUGA canadensis var: Curtis Spreading		
4 yrs. from cuttings	75.00	
CROUND COVE	DI A	VITC
GROUND COVE	R PLAI	NIS
NURSERY GR	OWN	
	OWN	
VINCA minor (Blue Myrtle)		
VINCA minor		\$120.00
VINCA minor (Blue Myrtle)		<b>\$120.0</b> 0
VINCA minor (Blue Myrtle) 2 yr. — heavy	\$ 15.00	\$120.00
VINCA minor (Blue Myrtle) 2 yr. — heavy  LONICERA jap. hall. (Hall's Honeysuckle)	\$ 15.00 12.00	<b>\$120.0</b> 0
VINCA minor (Blue Myrtle) 2 yr. — heavy  LONICERA jap. hall. (Hall's Honeysuckle) 1 yr.	\$ 15.00 12.00	<b>\$120.0</b> 0
VINCA minor (Blue Myrtle) 2 yr. — heavy  LONICERA jap. hall. (Hall's Honeysuckle) 1 yr.	\$ 15.00 12.00 18.00	
VINCA minor (Blue Myrtle) 2 yr. — heavy  LONICERA jap. hall. (Hall's Honeysuckle) 1 yr. 2 yr.	\$ 15.00 12.00 18.00	
VINCA minor (Blue Myrtle) 2 yr. — heavy  LONICERA jap. hall. (Hall's Honeysuckle) 1 yr. 2 yr.  LINING OUT S	\$ 15.00 12.00 18.00	
VINCA minor (Blue Myrtle) 2 yr. — heavy  LONICERA jap. hall. (Hall's Honeysuckle) 1 yr. 2 yr.  LINING OUT S COLLECTE PINUS strobus	\$ 15.00 12.00 18.00	
VINCA minor (Blue Myrtle) 2 yr. — heavy  LONICERA jap. hall. (Hall's Honeysuckle) 1 yr. 2 yr.  LINING OUT S COLLECTE  PINUS strobus (White Pine)	\$ 15.00 12.00 18.00 STOCK	
VINCA minor (Blue Myrtle) 2 yr. — heavy  LONICERA jap. hall. (Hall's Honeysuckle) 1 yr. 2 yr.  LINING OUT S COLLECTE  PINUS strobus (White Pine) 6-10 in.  RHODODENDRON maximum	\$ 15.00 12.00 18.00 STOCK	
VINCA minor (Blue Myrtle) 2 yr. — heavy  LONICERA jap. hall. (Hall's Honeysuckle) 1 yr. 2 yr.  LINING OUT S COLLECTE  PINUS strobus (White Pine) 6-10 in.  RHODODENDRON maximum (Rosebay Rhododendron)	\$ 15.00 12.00 18.00 STOCK	35.00

# **BROADLEAF EVERGREENS**

COLLECTED

	Each in 10 lots	Each in 50 lots	Each in 100 lots
RHODODENDRON maxim (Rosebay Rhododendron			
10-18 in. B&B	. 2.50 . 3.00 . 4.00 . 6.00 . 10.00	\$ 1.50 2.00 2.50 3.50 5.00 8.00	\$ 1.25 1.75 2.50 3.00 4.00 6.00
10-18 in. Hvy Clmps B8 18-24 in. Hvy Clmps B8 2-3 ft. Hvy Clmps B8 3-4 ft. Hvy Clmps B8 Larger sizes quoted on	kB     2.25       kB     3.00       kB     5.00	1.25 1.75 2.50 4.75	$\begin{array}{c} 1.00 \\ 1.50 \\ 2.25 \\ 4.50 \end{array}$

#### SALES YARD ITEM

KALMIA latifolia

6-10 in. clumps with ball—not burlapped

\$ .60 each in 100 lots .50 each in 1000 lots

# **AZALEAS**

COLLECTED

#### AZALEA nudiflora

(Pinkster)

Heavy clumps growing in open fields

12-18 in.	В&В	\$ 1.50	\$ 1.25	\$ 1.00
18-24 in.	В&В	2.00	1.50	1.25
2-3 ft.	В&В	3.00	2.25	2.00
3-4 ft.	B&B	4.00	3.50	3.00
4-5 ft.	В&В	5.00	4 50	4.00
5-6 ft.	B&B	7.50	6.00	5.00

## WHITE PINE

COLLECTED

#### PINUS strobus (White Pine)

3-4	ft.	В&В	 \$ 3.00	\$ 2.25	\$ 2.00
4-5	ft.	В&В	 4.50	4.00	3.50
5-6	ft.	В&В	 6.00	5.00	4.50
*6-8	ft.	B&B	 16.00	14.00	12.00
*8-10	ft.	В&В	 18.00	16.00	14.00
*10-12	ft.	В&В	 30.00	25.00	20.00

<sup>\*</sup> These are dug with a deep drum roped ball.

### **DECIDUOUS TREES**

#### COLLECTED

	Each in 10 lots	Each in 50 lots	Each in 100 lots
ACER rubrum (Swamp Maple)			
$^{3}\!\!/_{4}$ -1 in. cal. BR $^{1-1}\!\!/_{2}$ in. cal. BR $^{1}\!\!/_{2}$ -2 in. cal. BR $^{2-2}\!\!/_{2}$ in. cal. BR $^{2}\!\!/_{2}$ -3 in. cal. BR	\$ .60 2.00 3.50 5.00 7.50	$\begin{array}{c} \$ & .50 \\ 1.75 \\ 3.25 \\ 4.50 \\ 7.00 \end{array}$	$\begin{array}{c} \$ & .40 \\ 1.50 \\ 3.00 \\ 4.00 \\ 6.50 \end{array}$
ACER saccharum (Sugar Maple)			
$^{3}\!\!\!/_{4}$ -1 in. cal. BR $^{1}\!\!\!/_{1}$ 1 $^{1}\!\!\!/_{2}$ in. cal. BR $^{1}\!\!\!/_{2}$ -2 in. cal. BR $^{2}\!\!\!/_{2}$ 2 $^{1}\!\!\!/_{2}$ in. cal. BR	.60 2.00 4.00 5.50 8.00	.50 1.75 3.50 5.00 7.50	$egin{array}{c} .40 \\ 1.50 \\ 3.25 \\ 4.50 \\ 7.00 \\ \end{array}$
BETULA lutea (Yellow Birch)			
$1-1\frac{1}{2}$ in. cal. B&B $1\frac{1}{2}$ -2 in. cal. B&B	5.00 $8.00$ $15.00$ $22.00$	4.50 $7.00$ $13.00$ $20.00$	4.00 6.00 12.50 18.00
BETULA populifolia (Grey Birch)			
4-6 ft. sgle stms B&B 4-6 ft. clumps B&B 6-8 ft. sgle stms B&B 6-8 ft. clumps B&B 8-10 ft. clumps B&B 10-12 ft. clumps B&B	2.59 3.00 6.00 8.50 15.09 18.00	2.00 2.50 5.00 7 50 13.00 15.00	1.50 $2.25$ $4.50$ $7.00$
FRAXINUS americana (White Ash)			
$1-1\frac{1}{2}$ in. cal. B&B $1\frac{1}{2}-2$ in. cal. B&B $2-2\frac{1}{2}$ in. cal. B&B $2\frac{1}{2}-3$ in. cal. B&B	6.00 $9.00$ $15.00$ $22.00$	5.00 $8.00$ $13.00$ $20.00$	4.50 $7.00$ $12.50$ $18.00$
QUERCUS borealis (Northern Red Oak)			
$1-1\frac{1}{2}$ in. cal. B&B $1\frac{1}{2}-2$ in. cal. B&B $2-2\frac{1}{2}$ in. cal. B&B	6.30 9.00 15.00 22.00		

### BALLING SCHEDULE

If balling is desired where bare root digging is indicated, use schedule below:

Size bal																						t pe	er
18	in.								٠			۰									\$ 2.	.50	
21	in.																		٠		3.	.50	
24	in.								۰												5.	.00	
28	in.										i			٠							6.	0C.	
	in.																				8.	.00	
36	in.														,						12.	.00	

### **DECIDUOUS SHRUBS**

### COLLECTED

AMELANCHIER canadensis (Juneberry - Shadblow) 3-4 ft. B&B \$3.50 \$3.00 \$2.50 4-5 ft. B&B 4.50 4.00 3.50 5-6 ft. B&B 6.50 6.00 5.50 Larger sizes quoted on request.  CORNUS racemosa (Grey Dogwood) 3-4 ft. BR			Each in 10 lots	Each in 50 lots	Each in 100 lots
(Juneberry - Shadblow) 3-4 ft. B&B	AMEL	ANCHIER canaden		1015	1013
3-4			315		
## 4-5   ft. B&B	,		. \$ 3.50	\$ 3.00	\$ 2.50
5-6 ft. B&B				4	
Larger sizes quoted on request.  CORNUS racemosa (Grey Dogwood) 3-4 ft. BR		a			
CORNUS racemosa (Grey Dogwood) 3-4 ft. BR				0 00	0.0
(Grey Dogwood) 3-4 ft. BR75 .60 .57 4-5 ft. BR1.00 .75 .65  CRATAEGUS in variety (Thorn) 3-4 ft. B&B . 6.00 5.00 4.00 4-5 ft. B&B . 8.00 7.00 6.00 5-6 ft. B&B . 12.00 11.00 10 00  ILEX verticillata (Black Alder) 3-4 ft. BR . 2.00 1.50 4-5 ft. BR . 2.50 2.00 5-6 ft. BR . 3.50 3.00  LINDERA benzoin (Spice Bush) 3-4 ft. BR . 1.50 4-5 ft. BR . 2.50 VACCINIUM cormybosum (Highbush Blueberry) 18-24 in. BR . 1.50 1.25 1.00 3-4 ft. BR . 2.50 2.00 1.75 4-5 ft. BR . 2.50 2.00 1.75 4-5 ft. BR . 3.50 3.00  Burlapping extra:— 18-24 in. 20c; 2-3 ft. 25c; 3-4 ft. 35c; 4-5 ft. 45c VIBURNUM cassinoides (Witherod) 3-4 ft. BR . 1.00 .90 .70 4-5 ft. BR . 2.00 1.25 1.00 VIBURNUM dentatum (Arrowwood) 3-4 ft. BR . 3.50 2.50 2.00 VIBURNUM dentatum (Arrowwood) 3-4 ft. BR . 1.00 .90 .70 4-5 ft. BR . 2.00 1.25 1.00			. equesti		
3-4 ft. BR					
## CRATAEGUS in variety  (Thorn)  3-4 ft. B&B			75	60	50
CRATAEGUS in variety         (Thorn)       3-4 ft. B&B       6.00       5.00       4.00         4-5 ft. B&B       8.00       7.00       6.00         5-6 ft. B&B       12.00       11.00       10 co         ILEX verticillata         (Black Alder)       3-4 ft. BR       2.00       1.50         4-5 ft. BR       2.50       2.00         5-6 ft. BR       3.50       3.00         LINDERA benzoin         (Spice Bush)       3-4 ft. BR       1.50         4-5 ft. BR       2.50         VACCINIUM cormybosum         (Highbush Blueberry)       18-24 in. BR       1.25 1.00       .75         2-3 ft. BR       1.50 1.25 1.00       3.50       3.00         Burlapping extra:—       18-24 in. 20c; 2-3 ft. 25c; 3-4 ft. 35c; 4-5 ft. 45c       4.5 ft. BR       4.00 3.50 3.00         Burlapping extra:—       18-24 in. 20c; 2-3 ft. 25c; 3-4 ft. 35c; 4-5 ft. 45c       4.5 ft. BR       2.00 1.25 1.00         3-4 ft. BR       2.00 1.25 1.00       5-6 ft. BR       3.50 2.50 2.00         VIBURNUM dentatum         (Arrowwood)       3-4 ft. BR       1.00 90 70         4-5 ft. BR       2.00 1.25 1.00					
(Thorn) 3-4 ft. B&B 6.00 5.00 4.00 4-5 ft. B&B 8.00 7.00 6.00 5-6 ft. B&B 12.00 11.00 10 00  ILEX verticillata (Black Alder) 3-4 ft. BR 2.00 1.50 4-5 ft. BR 2.50 2.00 5-6 ft. BR 3.50 3.00  LINDERA benzoin (Spice Bush) 3-4 ft. BR 1.50 4-5 ft. BR 2.50 VACCINIUM cormybosum (Highbush Blueberry) 18-24 in. BR 1.50 1.25 1.00 3-4 ft. BR 2.50 2.00 1.75 4-5 ft. BR 3.50 3.00  Burlapping extra:— 18-24 in. 20c; 2-3 ft. 25c; 3-4 ft. 35c; 4-5 ft. 45c VIBURNUM cassinoides (Witherod) 3-4 ft. BR 1.00 90 .70 4-5 ft. BR 3.50 2.50 VIBURNUM dentatum (Arrowwood) 3-4 ft. BR 1.00 .90 .70 4-5 ft. BR 1.00 .90 .70			. 1.00	.10	. ,,,
3-4 ft. B&B 6.00 5.00 4.00 4-5 ft. B&B 8.00 7.00 6.00 5-6 ft. B&B 12.00 11.00 10 00  ILEX verticillata (Black Alder) 3-4 ft. BR 2.00 1.50 4-5 ft. BR 2.50 2.00 5-6 ft. BR 3.50 3.00  LINDERA benzoin (Spice Bush) 3-4 ft. BR 1.50 4-5 ft. BR 2.50 VACCINIUM cormybosum (Highbush Blueberry) 18-24 in. BR 1.50 1.25 1.00 .75 2-3 ft. BR 1.50 1.25 1.00 3-4 ft. BR 2.50 2.00 1.75 4-5 ft. BR 3.00  Burlapping extra:— 18-24 in. 20c; 2-3 ft. 25c; 3-4 ft. 35c; 4-5 ft. 45c  VIBURNUM cassinoides (Witherod) 3-4 ft. BR 1.00 .90 .70 4-5 ft. BR 3.50 2.50  VIBURNUM dentatum (Arrowwood) 3-4 ft. BR 3.50 2.50 2.00  VIBURNUM dentatum (Arrowwood) 3-4 ft. BR 1.00 .90 .70 4-5 ft. BR 3.50 2.50 2.00					
4-5 ft. B&B	,		6.00	5 00	4:00
5-6 ft. B&B					
ILEX verticillata	- 0				
(Black Alder) 3-4 ft. BR	-		. 12.00	11357	10.00
3-4 ft. BR					
4-5 ft. BR 2.50 2.00 5-6 ft. BR 3.50 3.00  LINDERA benzoin (Spice Bush) 3-4 ft. BR 1.50 4-5 ft. BR 2.50  VACCINIUM cormybosum (Highbush Blueberry) 18-24 in. BR 1.25 1.00 .75 2-3 ft. BR 1.50 1.25 1.00 3-4 ft. BR 2.50 2.00 1.75 4-5 ft. BR 3.00 3.50 3.00  Burlapping extra:— 18-24 in. 20c; 2-3 ft. 25c; 3-4 ft. 35c; 4-5 ft. 45c  VIBURNUM cassinoides (Witherod) 3-4 ft. BR 2.00 1.25 1.00 5-6 ft. BR 3.50 2.50 2.00  VIBURNUM dentatum (Arrowwood) 3-4 ft. BR 1.00 .90 .70 4-5 ft. BR 3.50 2.50 2.00  VIBURNUM dentatum (Arrowwood) 3-4 ft. BR 1.00 .90 .70 4-5 ft. BR 1.00 .90 .70 4-5 ft. BR 2.00 1.25 1.00			0.20	1 =0	
5-6 ft. BR 3.50 3.00  LINDERA benzoin (Spice Bush) 3-4 ft. BR 1.50 4-5 ft. BR 2.50  VACCINIUM cormybosum (Highbush Blueberry) 18-24 in. BR 1.25 1.00 .75 2-3 ft. BR 1.50 1.25 1.00 3-4 ft. BR 2.50 2.00 1.75 4-5 ft. BR 3.00 3.50 3.00  Burlapping extra:— 18-24 in. 20c; 2-3 ft. 25c; 3-4 ft. 35c; 4-5 ft. 45c  VIBURNUM cassinoides (Witherod) 3-4 ft. BR 1.00 .90 .70 4-5 ft. BR 3.50 2.50 2.00  VIBURNUM dentatum (Arrowwood) 3-4 ft. BR 1.00 .90 .70 4-5 ft. BR 1.00 .90 .70		II. DR			
LINDERA benzoin (Spice Bush) 3-4 ft. BR 1.50 4-5 ft. BR 2.50  VACCINIUM cormybosum (Highbush Blueberry) 18-24 in. BR 1.25 1.00 .75 2-3 ft. BR 1.50 1.25 1.00 3-4 ft. BR 2.50 2.00 1.75 4-5 ft. BR 4.00 3.50 3.00  Burlapping extra:— 18-24 in. 20c; 2-3 ft. 25c; 3-4 ft. 35c; 4-5 ft. 45c  VIBURNUM cassinoides (Witherod) 3-4 ft. BR 1.00 .90 .70 4-5 ft. BR 2.00 1.25 1.00 5-6 ft. BR 3.50 2.50 2.00  VIBURNUM dentatum (Arrowwood) 3-4 ft. BR 1.00 .90 .70 4-5 ft. BR 2.00 1.25 1.00 4-5 ft. BR 3.50 2.50 2.00		0.4 373 373			
(Spice Bush) 3-4 ft. BR			. 3.50	3.00	
3-4 ft. BR					
4-5       ft. BR       2.50         VACCINIUM cormybosum         (Highbush Blueberry)         18-24 in. BR       1.25       1.00       .75         2-3       ft. BR       1.50       1.25       1.00         3-4       ft. BR       2.50       2.00       1.75         4-5       ft. BR       4.00       3.50       3.00         Burlapping extra:—         18-24 in. 20c; 2-3 ft. 25c; 3-4 ft. 35c; 4-5 ft. 45c         VIBURNUM cassinoides         (Witherod)       3-4       ft. BR       1.00       .90       .70         4-5       ft. BR       2.00       1.25       1.00         5-6       ft. BR       3.50       2.50       2.00         VIBURNUM dentatum         (Arrowwood)         3-4       ft. BR       1.00       .90       .70         4-5       ft. BR       2.00       1.25       1.00					
VACCINIUM cormybosum (Highbush Blueberry)  18-24 in. BR . 1.25 1.00 .75  2-3 ft. BR . 1.50 1.25 1.00  3-4 ft. BR . 2.50 2.00 1.75  4-5 ft. BR . 4.00 3.50 3.00  Burlapping extra:—					
(Highbush Blueberry) 18-24 in. BR	~ ~		. 2.50		
18-24 in. BR     1.25     1.00     .75       2-3     ft. BR     1.50     1.25     1.00       3-4     ft. BR     2.50     2.00     1.75       4-5     ft. BR     4.00     3.50     3.00       Burlapping extra:—       18-24 in. 20c; 2-3 ft. 25c; 3-4 ft. 35c; 4-5 ft. 45c       VIBURNUM cassinoides       (Witherod)       3-4     ft. BR     1.00     .90     .70       4-5     ft. BR     2.00     1.25     1.00       VIBURNUM dentatum       (Arrowwood)       3-4     ft. BR     1.00     .90     .70       4-5     ft. BR     1.00     .90     .70       4-5     ft. BR     2.00     1.25     1.00	VACC	INIUM cormybosum			
2-3 ft. BR					
3-4 ft. BR					
4-5 ft. BR					
Burlapping extra:—					
18-24 in. 20c; 2-3 ft. 25c; 3-4 ft. 35c; 4-5 ft. 45c  VIBURNUM cassinoides (Witherod)  3-4 ft. BR			. 4.00	3.50	3.00
VIBURNUM cassinoides         (Witherod)       3-4 ft. BR       1.00       .90       .70         4-5 ft. BR       2.00       1.25       1.00         5-6 ft. BR       3.50       2.50       2.00         VIBURNUM dentatum         (Arrowwood)       3-4 ft. BR       1.00       .90       .70         4-5 ft. BR       2.00       1.25       1.00					
(Witherod)     3-4     ft. BR     1.00     .90     .70       4-5     ft. BR     2.02     1.25     1.00       5-6     ft. BR     3.50     2.50     2.00       VIBURNUM dentatum (Arrowwood)       3-4     ft. BR     1.00     .90     .70       4-5     ft. BR     2.00     1.25     1.00		18-24 in. 20c; 2-3 ft	. 25c; 3-4	ft. 35c; 4-6	5 ft. 45c
3-4       ft. BR       1.00       .90       .70         4-5       ft. BR       2.00       1.25       1.00         5-6       ft. BR       3.50       2.50       2.00         VIBURNUM dentatum         (Arrowwood)          3-4       ft. BR       1.00       .90       .70         4-5       ft. BR       2.00       1.25       1.00	VIBUE	RNUM cassinoides			
4-5 ft. BR 2.09 1.25 1.00 5-6 ft. BR 3.50 2.50 2.00 VIBURNUM dentatum (Arrowwood) 3-4 ft. BR 1.00 .90 .70 4-5 ft. BR 2.00 1.25 1.00	(Wit	therod)			
5-6 ft. BR 3.50 2.50 2.00 VIBURNUM dentatum (Arrowwood) 3-4 ft. BR 1.00 .90 .70 4-5 ft. BR 2 00 1.25 1.00	3-4	ft. BR	. 1.00	.90	.70
VIBURNUM dentatum         (Arrowwood)       3-4 ft. BR       1.00       .90       .70         4-5 ft. BR       2 00       1.25       1.00	4-5	ft. BR	. 2.00	1.25	1.00
(Arrowwood) 3-4 ft. BR	5-6	ft. BR	. 3.50	2.50	2.00
(Arrowwood) 3-4 ft. BR	VIBUE	RNUM dentatum			
4-5 ft. BR 2 00 1.25 1.00					
	,		. 1.00	.90	.70
5-6 ft. BR 3.50 2.50 2.00	4-5	ft. BR	. 200	1.25	1.00
	5-6	ft. BR	. 3.50	2.50	2.00

# **GROUND COVER PLANTS**

### COLLECTED

	Per 100	Per 1000
COMPTONIA peregrina (Sweet Fern) Dug with ball—5 plants burlapped 12-18 in		\$400.00
GAYLUSSACIA baccata (Black Huckleberry) Dug with ball—5 plants burlapped 10-18 in	l together 45,00	400.00
VACCINIUM angustifolium (Lowbush Blueberry) Sods	40.00	350.00

# HARDY FERNS

 $N_{\rm O}$  orders accepted for less than 100 Ferns of each variety.

cach variety.		
	Per 100	Per 1000
DENNSTEDIA punctilobula		
(Hay-Scented)		
In sq. ft. Sods	\$ 25.00	\$200.00
DRYOPTERIS marginalis		
(Marginal Shield)	15.00	100.00
DRYOPERIS spinulosa		
(Toothed Woodfern)	15.00	100.00
POLYSTICHUM acrostichoides		
(Christmas)	15.00	100.03
PTERETIS nodulosa		
(Ostrich)	25.00	

#### **GENERAL INFORMATION**

INSPECTION—We hold inspection certificates from both the State of New York and the Commonwealth of Pennsylvania.

PRICES—Prices are F.O.B. shipping point — 6% interest charges after 60 days.

PACKING—Less carload freight and express boxing and baling done at cost.


CLAIMS—All claims or complaints must be made within five days after receipt of goods.

We cannot be held responsible for delays and damages in transit.

We accept all orders upon the condition that they shall be void should injury befall stock from frost, hail, storms or other causes over which we have no control.

TRANSPORTATION CHARGES — Railroad and trucking delivery costs quoted on request.

Our Location: Nursery—1½ miles from Callicoon Office at Callicoon, N. Y.



Member:—American Association of Nurserymen

Eastern New York Nurserymen's Association

New York State Nurserymen's Association